



Case: 4:20-cr-00125-SEP Doc. #: 60-2 Filed: 01/30/21 Page: 2 of 5 PageID #: 130

ShotSpotter

INCIDENT #: 323-27757

INVESTIGATIVE LEAD SUMMARY

INCIDENT DATE: SEP 30, 2019

CITY / ZONE: ST. LOUIS / STLOUISCOUNTYMOSPANISHLAKE

REPORT DATE: OCT 01, 2019 10:57:30

REQUESTED BY: RBRANNAN@STLOUISCO.COM



INCIDENT DATE/TIME

CAD

323-27757

SEP 30, 2019 08:22:38

ROUNDS

093019-537

ADDRESS

38.774212, -90.214970 11149 RIAZA SQUARE

AREA

ST LOUIS COUNTY/118

TAGS

INCIDENT AUDIO

SENSOR	RANGE FROM INCIDENT	AUDIO
# 1011	558 ft / 170 m	CLICK TO PLAY
# 1014	654 ft / 200 m	CLICK TO PLAY
# 1069	1253 ft / 382 m	CLICK TO PLAY

For more information, email support@shotspotter.com, call 888.274.6877 or +1.510.794.3144. © 2019 ShotSpotter, Inc. All rights reserved. ShotSpotter® and the ShotSpotter logo are registered trademarks of ShotSpotter®, Inc.

Case: 4:20-cr-00125-SEP Doc. #: 60-2 Filed: 01/30/21 Page: 3 of 5 PageID #: 131



INCIDENT #: 323-27757

INVESTIGATIVE LEAD SUMMARY

INCIDENT DATE: SEP 30, 2019

CITY / ZONE: ST. LOUIS / STLOUISCOUNTYMOSPANISHLAKE

REPORT DATE: OCT 01, 2019 10:57:30
REQUESTED BY: RBRANNAN@STLOUISCO.COM



INDIVIDUAL SHOTS

The following shot count, times, and locations were automatically calculated by the ShotSpotter system at the time of detection. They are approximate and should be deemed as such. The number of individual shots below may not match the round count reported on page one if an Incident Reviewer adjusted the round count during incident review prior to publication. Some shots may overlap or hide other shots on the map.

SHOT	DATE	TIME	INTERVAL (sec)	LOCATION
#1	2019-09-30	08:22:38.468	0.000	38.774212, -90.214970

INCIDENT TIMELINE

TIME	USERNAME	DETAILS
09-30-2019 08:25:17	PD2876@STLOUISCO.COM	MODIFIED CAD TO 093019-537
09-30-2019 08:23:46	PD2876@STLOUISCO.COM	ACKNOWLEDGED
09-30-2019 08:23:17	REVIEWER@SHOTSPOTTER.COM	PUBLISHED

Case: 4:20-cr-00125-SEP Doc. #: 60-2 Filed: 01/30/21 Page: 4 of 5 PageID #: 132



INVESTIGATIVE LEAD SUMMARY

INCIDENT DATE: SEP 30, 2019

CITY / ZONE: ST. LOUIS / STLOUISCOUNTYMOSPANISHLAKE

INCIDENT #: 323-27757

REPORT DATE: OCT 01, 2019 10:57:30
REQUESTED BY: RBRANNAN@STLOUISCO.COM

DISCLAIMER

The Investigative Lead Summary is produced using data automatically generated by the ShotSpotter system and has not been independently reviewed by our Forensic Engineers. Although it provides precise trigger-pull location and timing as determined automatically by the ShotSpotter system, this summary should only be used for initial investigative purposes because the shot timing, location, and count could differ once reviewed by a ShotSpotter Forensic Engineer. Factors, such as obstructed or attenuated muzzle blast, weapon discharge in an enclosed space, or if the weapon discharged is of .25 or smaller caliber, may prevent the sensor(s) from detecting all or some of the shots fired. This summary has been generated solely for the purpose for which it is provided. Nothing herein shall to any extent substitute for the independent investigation of the shotsing incident. The data and conclusions herein should be corroborated with other evidentiary sources such as recovered shell casings and witness statements.

ABOUT SHOTSPOTTER

ShotSpotter uses strategically placed acoustic sensors to detect and locate gunshots within a coverage area. The locations of the gunshots are calculated using audio pulse data and multilateration. Machine learning algorithms analyze and classify the sounds before they are reviewed by acoustic experts at the Incident Review Center. Within seconds, Incident Reviewers add relevant tactical intelligence and publish confirmed gunshots to ShotSpotter subscribers. Learn more about the ShotSpotter technology at ShotSpotter.com/technology.



For more information, email support@shotspotter.com, call 888.274.6877 or +1.510.794.3144. © 2019 ShotSpotter, Inc. All rights reserved. ShotSpotter® and the ShotSpotter logo are registered trademarks of ShotSpotter®, Inc.

